AUTHOR INDEX

Abdel-Raheim, F.M., *see* El-Tayeb, A.E. et al.
Abdullah, N., *see* Ho, Y.W. et al.
Adamu, A.M., Russell, J.R., McGilliard, A.D. and Trenkle, A. (Ames, IA, U.S.A.)
Effects of added dietary urea on the utilization of maize stover silage by growing beef cattle 227
Al-Athari, A.K. (Pullman, WA, U.S.A.) and Guenter, W. (Winnipeg, Man., Canada)
Nutritional value of triticale (Carman) for broiler diets 119
The effect of fat level and type on the utilization of triticale (cultivar Carman) by broiler chicks 273
Ali, O.M., *see* Mohammed, T.A. et al.
Alvira, P., *see* Rebolé, A. et al.
Atuahene, C.C., *see* Donkoh, A. et al.
Awadel-Kareim, A.M., *see* El-Tayeb, A.E. et al.
Barnett, R.D., *see* Myer, R.O. et al.
Ben-Ghedalia, D., and Solomon, R., (Bet Dagan, Israel)
Amino acids flow to and absorption from the small intestine of sheep fed barley and sulfur dioxide-treated straw at different ratios 147
Ben-Ghedalia, D. and Yosef, E. (Bet Dagan, Israel)
SO_2-treated straw as a silage additive: fermentation data on lucerne with particular reference to protein degradation 247
SO_2-treated straw as a silage additive: the participation of soluble and cell wall monosaccharide residues in lucerne silage fermentation 255
Bhargava, P.K., Ørskov, E.R. and Walli, T.K. (Aberdeen, Gt. Britain)
Effect of soaking, ensilage and hydrogen peroxide treatment of barley straw on rumen degradability 295
Bland, B., *see* Panigrahi, S. et al.
Bunting, L.D., McCarthy, D.B., Richardson, C.R. and Tock, R.W. (Lubbock, TX, U.S.A.)
Pilot plant production of sulphur dioxide-treated mesquite wood. II.Digestibility and feedlot performance 61
Carlaw, P.M., *see* Panigrahi, S. et al.
Chandrasekaran, D., Kadirvel, R. and Viswanathan, K. (Madras, India)
Nutritive value of pungam (*Pongamia glabra* Vent) cake for sheep 321
Chandrasekaran, D., *see* Viswanathan, K. et al.
Chavez, E.R., Touchburn, S.P. (Ste. Anne de Bellevue, Que., Canada) and Moo-Young, M. (Waterloo, Ont., Canada)
Microbial biomass protein from the fungus *Chaetomium cellulolyticum*. I. Composition and nutritive evaluation 1
Microbial biomass protein from the fungus *Chaetomium cellulolyticum*. II. Effect of method of drying and response to amino acid supplementation 13
Microbial biomass protein from the fungus *Chaetomium cellulolyticum*. III. Nutritive value for chicks and piglets 23
Combs, G.E., *see* Myer, R.O. et al.
Cornell, J.A., *see* Myer, R.O. et al.
De Groote, G., *see* Ketels, E. et al.
Donkoh, A., Atuahene, C.C., Kese, A.G., and Mensah-Asante, B. (Kumasi, Ghana)
The nutritional value of dried coffee pulp (DCP) in broiler chickens' diets 139
El-Tayeb, A.E., Abdel-Raheim, F.M. and Awadel-Kareim, A.M. (Khartoum North, Sudan)
Comparison of cottonseed cake and dried blood as nitrogen sources for growing Sudan Nubian goats 333

Gatel, F., (Vendôme, France), Grosjean, F. and Leuillet, M. (Paris, France)
Utilization of white-flowered smooth-seeded spring peas (*Pisum sativum hortense*, CV Amino) by the breeding sow 91
Gonzalez, G., *see* Rebolé, A. et al.
Grosjean, F., *see* Gatel, F. et al.
Guenter, W., *see* Al-Athari, A.K. and Guenter, W.
see Al-Athari, A.K. et al.
Heikonen, M., *see* Moisio, T. and Heikonen, M.
Hennig, A., *see* Schöne, F. et al.
Hermansen, J.E. (Tjele, Denmark)
Feed intake and milk yield at increasing supplement of a palmitic and stearic acid-rich type of fat in comparison with animal fat 179
Feed intake, milk yield and milk composition by replacing unprotected fat by Ca-soaps for dairy cows 193
Ho, Y.W., Abdullah, N., and Julaludin, S., (Selangor, Malaysia)
Colonization of guinea grass by anaerobic rumen fungi in swamp buffalo and cattle 161
Horn, G.W., *see* Zorrilla-Rios, J. et al.
Jahreis, G., *see* Schöne, F. et al.
Julaludin, S., *see* Ho, Y.W. et al.
Kadirvel, R., *see* Chandrasekaran, D. et al.
see Viswanathan, K. et al.
Kategile, J.A., *see* Sarwatt, S.V. et al.
Kese, A.G., *see* Donkoh, A. et al.
Ketels, E. and de Groote, G. (Merelbeke, Belgium)
The nutritional value for broilers of fats characterized by short-chain fatty acids as affected by level of inclusion and age 105
Leuillet, M., *see* Gatel, F. et al.
Little, D.A., *see* Mahyuddin, P. et al.
Lowry, J.B., *see* Mahyuddin, P. et al.
Lüdke, H., and Schöne, F., (Jena, G.D.R.)
Copper and iodine in pig diets with high glucosinolate rapeseed meal. I. Performance and thyroid hormone status of growing pigs fed on a diet with rapeseed meal treated with copper sulphate solution or untreated and supplements of iodine, copper or a quinoxaline derivative 33
Lüdke, H., *see* Schöne, F. et al.
Mahyuddin, P., Little, D.A. and Lowry, J.B. (Bogor, Indonesia)
Drying treatment drastically affects feed evaluation and feed quality with certain tropical forage species 69
Makkar, H.P.S., *see* Negi, S.S. et al.
McCarthy, D.B., *see* Bunting, L.D. et al.
McGilliard, A.D., *see* Adamu, A.M. et al.
McNew, R.W., *see* Zorrilla-Rios, J. et al.
Mensah-Asante, B., *see* Donkoh, A. et al.
Mohammed, T.A. and Ali, O.M. (Khartoum, Sudan)
Effect of wood ash extract treatment on the feeding value and utilization of high-tannin sorghums by broiler chicks 131
Moisio, T. and Heikonen, M. (Helsinki, Finland)
A titration method for silage assessment 341
Moo-Young, M., *see* Chavez, E.R. et al.
Moughan, P.J., Wilson, M.N., Smits, C.H.M. and Smith, W.C. (Palmerston North, New Zealand)
An evaluation of skim milk powders subjected to different heating conditions during processing as dietary protein sources for the young pig 203

Mussa, M.A., *see* Sarwatt, S.V. et al.
Myer, R.O., Barnett, R.D., Cornell, J.A. and Combs, G.E. (Marianna, FL, U.S.A.)
Nutritive value of diets containing triticale and varying mixtures of triticale and maize for growing-finishing swine 217
Negi, S.S., Singh, B. and Makkar, H.P.S. (Palampur, India)
Rumen degradability of nitrogen in typical cultivated grasses and leguminous fodders 79
Ørskov, E.R., *see* Bhargava, P.K. et al.
Panigrahi, S., Bland, B. and Carlaw, P.M. (Culham, Gt. Britain)
The nutritive value of tamarind seeds for broiler chicks 285
Rebolé, A., Alvira, P., and González, G., (Madrid, Spain)
Digestibility in vivo of ensiled grapevines (branches and leaves): influence of the system of analysis in the detergent fibre scheme on the prediction of digestibility 173
Richardson, C.R., *see* McCarthy, D.B. et al.
Russell, J.R., *see* Adamu, A.M. et al.
Sarwatt, S.V., Mussa, M.A. and Kategile, J.A. (Morogoro, Tanzania)
The nutritive value of ensiled forages cut at three stages of growth 237
Schöne, F., Lüdke, H., Hennig, A. and Jahreis, G., (Jena, G.D.R.)
Copper and iodine in pig diets with high glucosinolate rapeseed meal. II. Influence of iodine supplements for rations with rapeseed meal untreated or treated with copper ions on performance and thyroid hormone status of growing pigs 45
Schöne, F., *see* Lüdke, H., and Schöne, F.,
Singh, B., *see* Negi, S.S. et al.
Smith, W.C., *see* Moughan, P.J. et al.
Smits, C.H.M., *see* Moughan, P.J. et al.
Solomon, R., *see* Ben-Ghedalia, D. et al.
Tock, R.W., *see* Bunting, L.D. et al.
Touchburn, S.P., *see* Chavez, E.R. et al.
Trenkle, A., *see* Adamu, A.M. et al.
Viswanathan, K., Kadirvel, R. and Chandrasekaran, D. (Madras, India)
Nutritive value of banana stalk (*Musa cavendishi*) as a feed for sheep 327
Viswanathan, K., *see* Chandrasekaran, D. et al.
Walker, N. (Hillsborough, Gt. Britain)
A comparison of wheat- or barley-based diets given ad libitum as meal or pellets to finishing pigs 263
Walli, T.K., *see* Bhargava, P.K. et al.
Wilson, M.N., *see* Moughan, P.J. et al.
Yosef, E., *see* Ben-Ghedalia, D. and Yosef, E.
Zorrilla-Rios, J., Horn, G.W. and McNew, R.W. (Stillwater, OK, U.S.A.)
Effect of ammoniation and energy supplementation on the utilization of wheat straw by sheep 305